Attix 40-0M PC type 22 is the latest addition to our type 22 ATEX approved range. With Push&Clean filter cleaning and a convenient 37 I stainless steel container it offers type 22 capability in a small but highly specified package.

ATTIX 791-2M/B1 features a 70 I stainless steel container that can be tilted or lifted off the chassis for emptying. Mobility and durability are ensured with the robust steel chassis and large wheels, while operating efficiency is enhanced with the Automatic Start/Stop feature.

Larger Attix 9 type 22 and 3 phase ATEX approved machines for stationary system use are available on request.

- Approved for work in ATEX Type 22 environments with explosive dust.
- · Industrial performance, robust construction, and loaded with useful features to maximise your efficiency and minimise your costs.
- · Brushless, long life motors for top performance and durability.
- · Automatic Start/Stop for electric tools connected to Attix 7 variants.
- A full range of Type 22 Accessories are available to tailor your machine to your application.

If you are working in an ATEX Type-22 explosive dust environment, you will find the perfect wet & dry solution here.

Standard equipment

| | Included accessories | Ref. no. | Min. required | ATTIX 40-0M PC TYPE22 | ATTIX 791-2M/B1 230/1/50 EU | ATTIX 791-2M/B1 230/1/50 GB |
|----------------|--|-----------|------------------|--------------------------|-----------------------------------|-----------------------------------|
| Filter | | | | | | |
| | FILTER ELEMENT FOR TURBO D | 41164 | 1 | | | |
| | FILTER ELEMENT Ø185X140 PET M-CLASS | 302000490 | 1 | • | • | • |
| | FILTER ELEMENT Ø328X300 TI70 | 34931 | 1 | | | |
| Special Filter | | | | | | |
| | MOTOR COOLING AIR FILTER | 302000491 | 1 | | • | • |
| | MOTOR COOLING FILTER KIT | 302003721 | 1 | • | | |
| System TYPE | 22 (ATEX) Hose Vacuum Cleaner | | | | | |
| | HOSE 27X3500 CONDUCTIVE TYPE22 | 107404779 | 1 | | • | • |
| | HOSE Ø36X4000MM W COUPLING TYPE 22 | 44193 | 1 | • | | |
| | TOOL ADAPTER D27/36-24 TYPE 22 | 107404521 | 1 | | • | • |
| System TYPE | 22 (ATEX) Tube/Nozzle | | | | | |
| | CURVED HAND TUBE TYPE22 Ø36MM SS | 44188 | 1 | • | | |
| | DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER | 302000227 | 1 | • | | |
| Bag | | | | | | |
| | FILTER BAG SQ8 5 PCS | 61603 | 0 | | | |
| | SAFETY FILTER BAG SET5 TURBO D | 33209 | 0 | | | |



Standard equipment

| | Included accessories | | Ref. no. | Min. required | ATTIX 791-2M/B1 110/1/50 GB |
|----------------|--|--------------------------|-----------------------------|------------------|-----------------------------------|
| Filter | | | | | |
| | FILTER ELEMENT FOR TURBO D | | 41164 | 1 | |
| 9 | FILTER ELEMENT Ø185X140 PET M-CLASS | | 302000490 | 1 | • |
| | FILTER ELEMENT Ø328X300 TI70 | | 34931 | 1 | |
| Special Filter | • | | ' | , | |
| | MOTOR COOLING AIR FILTER | | 302000491 | 1 | • |
| HHHHHKK | MOTOR COOLING FILTER KIT | | 302003721 | 1 | |
| System TYPI | E 22 (ATEX) Hose Vacuum Cleaner | | | | |
| | HOSE 27X3500 CONDUCTIVE TYPE22 | | 107404779 | 1 | • |
| | HOSE Ø36X4000MM W COUPLING TYPE 22 | | 44193 | 1 | |
| | TOOL ADAPTER D27/36-24 TYPE 22 | | 107404521 | 1 | • |
| System TYPI | E 22 (ATEX) Tube/Nozzle | | | | |
| | CURVED HAND TUBE TYPE22 Ø36MM SS | | 44188 | 1 | |
| | DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER | | 302000227 | 1 | |
| Bag | | | | | |
| | FILTER BAG SQ8 5 PCS | | 61603 | 0 | |
| | SAFETY FILTER BAG SET5 TURBO D | | 33209 | 0 | |
| Model | | ATTIX 40-0M PC TYPE22 | ATTIX 791-2M 230/1/50 EU | | TIX 791-2M/B1 230/1/50 GB |
| Ref. no. | | 107400410 | 302001537 | | 302001538 |
| PRODUCT F | EATURES | | | | |
| Softstart | | • | • | | • |
| Airflow senso | or | • | • | | • |
| Anti-static sy | | • | • | | • |
| Motor speed | | | • | | • |
| Side-channel | | | | | |
| Robust steel | | | • | | • |
| | n/Off-elec. tools | | • | | • |
| | nglife 1-ph. motor | | | | |



| 1074 | 100410 3020 | | |
|-----------------------------|------------------|-----------------|----------------------|
| | | 01537 3020 | 001538 |
| CT FEATURES | | | |
| hazardous dust approval | • | • | • |
| azardous TYPE 22 approval | • | • | • |
| cket for tool | | • | • |
| lter bag 1 pcs | • | • | • |
| | | | 791-2M/B1 1/50 GB |
| | | 3020 | 001539 |
| CT FEATURES | | | |
| | | | • |
| ensor | | | • |
| ic system | | | • |
| peed control | | | • |
| annel turbine | | | |
| steel chassis | | | • |
| ic On/Off-elec. tools | | | • |
| ss longlife 1-ph. motor | | | • |
| hazardous dust approval | | | • |
| azardous TYPE 22 approval | | | • |
| cket for tool | | | • |
| ilter bag 1 pcs | | | • |
| | | | 791-2M/B1 1/50 GB |
| max (W) | 400 15 | 500 1 | 500 |
| iec (W) 1 | 100 12 | 200 1. | 200 |
| onnection (V/~/Hz/A) 230/1/ | 50-60/16 230/1/5 | 50-60/16 230/1/ | 50-60/13 |
| Rate (I/min) 3 | 200 38 | 300 | 800 |
| (mbar/kPa) 23 | 0/23 25 | 0/25 25 | 0/25 |
| sound level (dB(A)) | 60 | 59 | 59 |
| (m) | 7.5 7 | 7.5 | 7.5 |
| er volume (I-max) | 37 | 70 | 70 |
| aning system Push | &Clean | | |
| er type F | PET P | ET F | PET |
| width x height (MM) 450x4 | 140x750 605x5 | 80x970 605x5 | 580x970 |
| KG) | 13 2 | 25 | 25 |



| Technical specifications | ATTIX 791-2M/B1 110/1/50 GB |
|------------------------------|--------------------------------|
| Power pmax (W) | 1200 |
| Power piec (W) | 1000 |
| Mains connection (V/~/Hz/A) | 110/1/50-60/25 |
| Air Flow Rate (I/min) | 3600 |
| Vacuum (mbar/kPa) | 250/25 |
| Working sound level (dB(A)) | 59 |
| El cable (m) | 7.5 |
| Container volume (I-max) | 70 |
| Filter cleaning system | |
| Main filter type | PET |
| Length x width x height (MM) | 605x580x970 |
| Weight (KG) | 25 |

 $[\]bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | ATTIX 40-0M PC TYPE22 | ATTIX 791-2M/B1 230/1/50 EU | ATTIX 791-2M/B1 230/1/50 GB |
|-------------|---|-----------|------------------|--------------------------|-----------------------------------|-----------------------------------|
| Filter Bag | | | | | | |
| TO TO | FILTER BAG ATTIX 7 5 PCS | 302001484 | 1 | | 0 | 0 |
| May 1 | FLEECE FILTER BAG 5 PCS ATTIX 40/50 | 302004004 | 1 | 0 | | |
| 8 | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | | 0 | 0 |
| System TYPE | 22 (ATEX) Tube/Nozzle | | | | | |
| | BRUSH NOZZLE TYPE22 Ø36X230MM PE | 44191 | 1 | 0 | 0 | 0 |
| | COARSE DIRT NOZZLE TYPE22 Ø50x200MM ALU | 42835 | 1 | 0 | 0 | 0 |
| | CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST | 44192 | 1 | 0 | 0 | 0 |
| | CREVICE NOZZLE TYPE22 Ø50X350 PE | 42837 | 1 | 0 | 0 | 0 |
| | CURVED EXTENSION TUBE TYPE22 Ø50x1100 S | 33609 | 1 | 0 | 0 | 0 |
| | CURVED HAND TUBE TYPE22 Ø36MM SS | 44188 | 1 | • | 0 | 0 |
| | DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER | 302000227 | 1 | • | 0 | 0 |
| | DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER | 42836 | 1 | 0 | 0 | 0 |
| | EXTENSION TUBE TYPE22 Ø36X950MM SS | 46982 | 1 | 0 | 0 | 0 |
| | FLAT NOZZLE TYPE22 Ø50MM RUBBER | 42839 | 1 | 0 | 0 | 0 |



| | Accessories | Ref. no. | Min. required | ATTIX 40-0M PC TYPE22 | ATTIX 791-2M/B1 230/1/50 EU | ATTIX 791-2M/B1 230/1/50 GB |
|-----------------|---|-----------|------------------|--------------------------|-----------------------------------|-----------------------------------|
| | FLOOR NOZZLE TYPE22 Ø36X450MM | 302000369 | 1 | 0 | 0 | 0 |
| | FLOOR NOZZLE TYPE22 Ø 50X500MM | 42834 | 1 | 0 | 0 | 0 |
| | PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM | 48066 | 1 | 0 | 0 | 0 |
| | PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM | 48067 | 1 | 0 | 0 | 0 |
| | ROUND BRUSH NOZZLE TYPE22 Ø 50MM | 42831 | 1 | 0 | 0 | 0 |
| System TYPE | 22 (ATEX) Hose Vacuum Cleaner | | | | | |
| | HOSE 27X3500 CONDUCTIVE TYPE22 | 107404779 | 1 | 0 | • | • |
| | HOSE Ø36X4000MM W COUPLING TYPE 22 | 44193 | 1 | • | 0 | 0 |
| | HOSE Ø50X4000MM CHIP TYPE 22 | 42825 | 1 | 0 | 0 | 0 |
| | HOSE Ø50X4000MM CONDUCTIVE TYPE 22 | 43245 | 1 | 0 | 0 | 0 |
| | HOSE Ø50X8000MM CHIP TYPE 22 | 63710 | 1 | 0 | 0 | 0 |
| | TOOL ADAPTER D27/36-24 TYPE 22 | 107404521 | 1 | 0 | • | • |
| Safety Filter B | ag | | | | | |
| | SAFETY FILTER BAG ATTIX 40/50 SET5 | 107400236 | 1 | 0 | | |
| | SAFETY FILTER BAG ATTIX/IVB 7 SET5 | 302001486 | 1 | | 0 | 0 |
| Bag | | | | | | |
| | BAG FOR DYNAMICS | 29727 | 0 | | | |
| | FILTER BAG SQ8 5 PCS | 61603 | 0 | | | |
| | SAFETY FILTER BAG SET5 TURBO D | 33209 | 0 | | | |
| Filter | | | | | ' | |
| | FILTER ELEMENT FOR TURBO D | 41164 | 1 | | | |
| 9 | FILTER ELEMENT Ø185X140 PET M-CLASS | 302000490 | 1 | • | • | • |
| | FILTER ELEMENT Ø328X300 TI70 | 34931 | 1 | | | |
| Disposal Bag | | | | | | |
| | DISPOSAL BAG ATTIX 3/30/40 5 PCS | 302000804 | 1 | 0 | | |
| | DISPOSAL BAG ATTIX 7 5 PCS | 302001480 | 1 | | 0 | 0 |
| | DISPOSAL BAG FOR FILTER E LEMENT | 30082 | 1 | 0 | 0 | 0 |
| System 50 Va | c Floor Nozzle | | | | | |
| | | | | | | |



| | Accessories | Ref. no. | Min. required | ATTIX 40-0M PC TYPE22 | ATTIX 791-2M/B1 230/1/50 EU | ATTIX 791-2M/B1 230/1/50 GB | |
|----------------|-----------------------------------|-----------|------------------|--------------------------|-----------------------------------|-----------------------------------|--|
| 100 | FIXED FLOOR NOZZLE Ø50X600MM ALU | 302001481 | 1 | | 0 | 0 | |
| Vacuum Acce | /acuum Accessory Set | | | | | | |
| | TYPE 22 VACUUM SET Ø36MM 6-PCS | 48907 | 1 | 0 | 0 | 0 | |
| System 50 Ho | se Vacuum Cleaner | | | | | | |
| | REDUCER 70/50MM | 29726 | 0 | | | | |
| Special Filter | | | | | | | |
| | FILTER FOR MOTOR COOLING 30/40/50 | 107400453 | 1 | 0 | | | |
| | MOTOR COOLING AIR FILTER | 302000491 | 1 | | • | • | |
| | MOTOR COOLING FILTER KIT | 302003721 | 1 | • | | | |
| Other | | | | | | | |
| | AIRBOX 230/1/50 EU | 302001192 | 1 | | 0 | | |
| Exhaust Air C | ollector | | | | | | |
| | EXHAUST AIR COLLECTOR | 302003717 | 1 | 0 | | | |

ullet Standard equipment, \bigcirc Supplementary accessories, \Box Mountable equipment

| | Accessories | Ref. no. | Min. required | ATTIX 791-2M/B1 110/1/50 GB |
|--|-------------------------------------|-----------|------------------|-----------------------------------|
| Filter Bag | | | | |
| ************************************** | FILTER BAG ATTIX 7 5 PCS | 302001484 | 1 | 0 |
| May 1 | FLEECE FILTER BAG 5 PCS ATTIX 40/50 | 302004004 | 1 | |
| • | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | O |
| System TYPE | 22 (ATEX) Tube/Nozzle | | | |
| | BRUSH NOZZLE TYPE22 Ø36X230MM PE | 44191 | 1 | 0 |



| | Accessories | Ref. no. | Min. required | ATTIX 791-2M/B1 110/1/50 GB |
|-----------------|---|-----------|------------------|-----------------------------------|
| | COARSE DIRT NOZZLE TYPE22 Ø50x200MM ALU | 42835 | 1 | 0 |
| | CREVICE NOZZLE TYPE 22 Ø36 L290MM PLAST | 44192 | 1 | 0 |
| | CREVICE NOZZLE TYPE22 Ø50X350 PE | 42837 | 1 | 0 |
| | CURVED EXTENSION TUBE TYPE22 Ø50x1100 S | 33609 | 1 | 0 |
| | CURVED HAND TUBE TYPE22 Ø36MM SS | 44188 | 1 | 0 |
| | DIAGONAL TUBE NOZZLE TYPE22 Ø36 RUBBER | 302000227 | 1 | 0 |
| | DIAGONAL TUBE NOZZLE TYPE22 Ø50 RUBBER | 42836 | 1 | 0 |
| | EXTENSION TUBE TYPE22 Ø36X950MM SS | 46982 | 1 | 0 |
| | FLAT NOZZLE TYPE22 Ø50MM RUBBER | 42839 | 1 | 0 |
| | FLOOR NOZZLE TYPE22 Ø36X450MM | 302000369 | 1 | 0 |
| | FLOOR NOZZLE TYPE22 Ø 50X500MM | 42834 | 1 | 0 |
| | PIPE CLEAN NOZZLE TYPE22 Ø36 R70-120MM | 48066 | 1 | 0 |
| | PIPE CLEAN NOZZLE TYPE22 Ø36 R120-200MM | 48067 | 1 | 0 |
| | ROUND BRUSH NOZZLE TYPE22 Ø 50MM | 42831 | 1 | 0 |
| System TYPI | E 22 (ATEX) Hose Vacuum Cleaner | | | |
| | HOSE 27X3500 CONDUCTIVE TYPE22 | 107404779 | 1 | • |
| | HOSE Ø36X4000MM W COUPLING TYPE 22 | 44193 | 1 | 0 |
| | HOSE Ø50X4000MM CHIP TYPE 22 | 42825 | 1 | 0 |
| | HOSE Ø50X4000MM CONDUCTIVE TYPE 22 | 43245 | 1 | 0 |
| | HOSE Ø50X8000MM CHIP TYPE 22 | 63710 | 1 | 0 |
| | TOOL ADAPTER D27/36-24 TYPE 22 | 107404521 | 1 | • |
| Safety Filter I | Bag | | | |
| | SAFETY FILTER BAG ATTIX 40/50 SET5 | 107400236 | 1 | |
| | SAFETY FILTER BAG ATTIX/IVB 7 SET5 | 302001486 | 1 | 0 |
| Bag | | | | |
| | BAG FOR DYNAMICS | 29727 | 0 | |
| | FILTER BAG SQ8 5 PCS | 61603 | 0 | |
| | SAFETY FILTER BAG SET5 TURBO D | 33209 | 0 | |
| Filter | | | | |
| | FILTER ELEMENT FOR TURBO D | 41164 | 1 | |
| 9 | FILTER ELEMENT Ø185X140 PET M-CLASS | 302000490 | 1 | • |
| | FILTER ELEMENT Ø328X300 TI70 | 34931 | 1 | |



| | Accessories | Ref. no. | Min. required | ATTIX 791-2M/B1 110/1/50 GB |
|----------------|-----------------------------------|-----------|------------------|-----------------------------------|
| Disposal Bag | | | | |
| | DISPOSAL BAG ATTIX 3/30/40 5 PCS | 302000804 | 1 | |
| | DISPOSAL BAG ATTIX 7 5 PCS | 302001480 | 1 | 0 |
| | DISPOSAL BAG FOR FILTER E LEMENT | 30082 | 1 | ٥ |
| System 50 Va | c Floor Nozzle | | | |
| 172 | FIXED FLOOR NOZZLE Ø50X600MM ALU | 302001481 | 1 | 0 |
| Vacuum Acce | ssory Set | | | |
| | TYPE 22 VACUUM SET Ø36MM 6-PCS | 48907 | 1 | 0 |
| System 50 Ho | se Vacuum Cleaner | | | |
| | REDUCER 70/50MM | 29726 | 0 | |
| Special Filter | | | | |
| | FILTER FOR MOTOR COOLING 30/40/50 | 107400453 | 1 | |
| | MOTOR COOLING AIR FILTER | 302000491 | 1 | • |
| | MOTOR COOLING FILTER KIT | 302003721 | 1 | |
| Other | | | | |
| | AIRBOX 230/1/50 EU | 302001192 | 1 | |
| Exhaust Air C | ollector | | | |
| | EXHAUST AIR COLLECTOR | 302003717 | 1 | |

